	Application No.	Applicant(s)
Notice of Allowability	10/828,730	RICE ET AL.
	Examiner	Art Unit
	Huy K. Mai	2873
The MAILING DATE of this communication apperature All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this ap or other appropriate communication IGHTS. This application is subject to	plication. If not included n will be mailed in due course. THIS
1. This communication is responsive to the patent application.	n filed April 21, 2004.	
2. The allowed claim(s) is/are <u>1-43</u> .		
3. \square The drawings filed on <u>08 November 2004</u> are accepted by	the Examiner.	
 4. Acknowledgment is made of a claim for foreign priority unal All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority do International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 	e been received. e been received in Application No	
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	of this communication to file a reply IENT of this application.	complying with the requirements
5. A SUBSTITUTE OATH OR DECLARATION must be subminformal PATENT APPLICATION (PTO-152) which give	itted. Note the attached EXAMINER es reason(s) why the oath or declara	'S AMENDMENT or NOTICE OF tion is deficient.
6. ☐ CORRECTED DRAWINGS (as "replacement sheets") mus (a) ☐ including changes required by the Notice of Draftspers 1) ☐ hereto or 2) ☐ to Paper No./Mail Date (b) ☐ including changes required by the attached Examiner's Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in the sheet i	on's Patent Drawing Review (PTO s Amendment / Comment or in the C .84(c)) should be written on the drawir	Office action of
7. DEPOSIT OF and/or INFORMATION about the depo- attached Examiner's comment regarding REQUIREMENT	sit of BIOLOGICAL MATERIAL r FOR THE DEPOSIT OF BIOLOGIC	nust be submitted. Note the AL MATERIAL.
 Attachment(s) 1.	6. ☐ Interview Summary Paper No./Mail Dat 8), 7. ☑ Examiner's Amendr	te
•		

Application/Control Number: 10/828,730

Art Unit: 2873

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or

additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR

1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the

payment of the issue fee.

2. Authorization for this examiner's amendment was given in a telephone interview with

Robert S. Beiser on Jan. 24, 2005.

The application has been amended as follows:

The phrase "wherein the" (claim 29, line 1) has been changed to -- and further comprising

a--.

The phrase "wherein the" (claim 32, line 1) has been changed to --and further

comprising--

The phrase "wherein the" (claim 34, line 1) has been changed to -- and further

comprising--.

REASONS FOR ALLOWANCE

1. The following is an examiner's statement of reasons for allowance: The prior art fails to

teach a combination of all the limitations as claimed in the independent claim 1, wherein the

claimed invention comprising a body structure supporting the lens and defining therewith an

ocular chamber for extending over the eyes of a wearer, wherein the body structure further

defines: an exhalation chamber for extending over at least one of the nose and mouth of a wearer

Page 2

and an inlet chamber at least part of which is arranged to be in front of the exhalation chamber in use; the goggle further comprising a fan located in the inlet chamber, and air deflection means located between the inlet chamber and the exhalation chamber and arranged to deflect air from the fan upwards into the ocular chamber, as claimed. The prior art also fails to teach a combination of all the limitations as claimed in the independent claim 26, wherein the claimed invention comprising a body structure supporting the lens and defining an air inlet means arranged to direct air from the exterior of the goggle across an inner surface of the lens, a fan located in the air inlet means for causing air to flow through the air inlet means, and a drive system for driving the fan wherein the drive system includes a controller arranged to switch the fan repeatedly between an on state and an off state so as to control the amount of air directed across the lens, and to control the timing of the switching so that each time the fan is switched to the on state it remains in that state for at least a predetermined time to allow for air flow across the lens to reach a steady state, as claimed. The prior art does not disclose or fairly suggest, by themselves or in combining with any other reference, to meet a combination of all the limitations as claimed in claims 1,26,30. Therefore claims 1-43 could be allowable over the prior art of record.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Application/Control Number: 10/828,730

Art Unit: 2873

Page 4

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Huy K. Mai whose telephone number is (571) 272-2334. The examiner can normally be reached on M-F (8:00 a.m.-4:30 p.m.).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Georgia Y. Epps can be reached on (571) 272-2328. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (571) 272-1562.

HKM/ January 24, 2005 Huy Mai Primary Examiner